

**HYPERVAK**

# HYPERVAK 1M SERIES

Professional vacuum  
cleaners for fine dust  
extraction



MADE IN ITALY



SETTING NEW  
STANDARDS



HYPER  
GRINDER

# HYPERVAK 1M SERIES

**1M HSC**  
Automatic Cleaning  
Without Interruptions



**1M SC**  
Manual Cleaning  
with Pressure Differential



HG presents the new range of ultra-compact and highly efficient vacuum cleaners, equipped with an **automatic filter cleaning system** and uninterrupted suction technology.

**Hypervak 1M SC and HSC** vacuum cleaners represent a compact, versatile, and highly efficient solution for the extraction of very fine dust, certified **CLASS H**. Designed to ensure **safety, practicality, and reliability**, they offer innovative features to meet the most advanced needs:

- **Advanced filter cleaning:** available in both **MANUAL CLEANING (SC)** and fully automatic versions with continuous suction system **"NO STOP" (HSC)**, thanks to pressure differential technology.
- **Compact and ergonomic design:** facilitates transportation and ensures stable maneuverability even in the tightest spaces.

**Continuous bag collection system:** enables safe disposal of vacuumed material, preventing environmental contamination and protecting respiratory health.

The **Hypervak 1M series** vacuum cleaners are ideal for those seeking **high performance, ease of use, and maximum safety** in dust management. Entirely made in Italy with **high-quality materials**, they guarantee robustness and reliability even in the most demanding working conditions.

## TECHNICAL DATA

Model	Motor	Power Watt	Volt	Hertz	Amp	Depression mBar	Air Flow m <sup>3</sup> /h	Suction Inlet	Filter Camber Diameter	Dimension	Weight
Hypervak 1M SC	1 Motor TRU-FLOW	1100	230	50/60	4.8	250	200	Tangential ø 50 mm	ø330 mm	101x44x50 cm	25Kg
Hypervak 1M HSC	1 Motor TRU-FLOW	1100	230	50/60	4.8	250	200	Tangential ø 50 mm	ø330 mm	113x44x50 cm	26Kg

# Professional vacuum cleaner for large quantities of fine dust.



## REMOTE START PLUG FOR POWER TOOLS


- 1M SC optional
- 1M HSC standard

## SECONDARY FILTER

- ULPA 15 A CARTRIDGE 11.200 CM<sup>2</sup>
- 1M SC optional
- 1M HSC standard

## PREFILTER:

- H14+PTFE A CARTRIDGE 7.000 CM<sup>2</sup>
- 1M SC standard
- 1M HSC standard



MANUAL CLEANING WITH PRESSURE DIFFERENTIAL (only 1M SC)



THRU-FLOW MOTORS WITH THERMAL PROTECTION



Collection system with continuous Bag



1



2

FILTERING SYSTEM	1M SC	1M HSC
FILTER CLEANING	Manual pulse reverse flow	Automatic pulse reverse flow
FILTER TYPE	Cartridge HEPA + PTFE	Cartridge HEPA + PTFE
FILTERING SURFACE	7.000 cm <sup>2</sup>	7.000 cm <sup>2</sup>
PREFILTER	Cartridge H14 + PTFE con 99,995% MPPS 0,12 µm (7.000 cm <sup>2</sup> )	Cartridge H14 + PTFE con 99,995% MPPS 0,12 µm (7.000 cm <sup>2</sup> )
SECONDARY FILTER	OPTIONAL	STANDARD ULPA 15 - 11.200 cm <sup>2</sup>
HEPA FILTERING SURFACE	OPTIONAL 11.200 cm <sup>2</sup>	11.200 cm <sup>2</sup>
REMOTE START PLUG	NO	STANDARD



**NO-STOP SUCTION:** WHEN SUCTION REACHES **140mBar** VACUUM, AUTOMATIC IS ACTIVATED BY FLOW REVERSAL (ATMOSPHERIC REBALANCING).




CONTINUOUS BAG SYSTEM

SWIVEL WHEELS

TIES AND SCISSORS HOLDER

YOUR DISTRIBUTOR



2 3122024



**HG HYPER GRINDER S.R.L**

Via Ragazzi del '99, 7 / 65123 Pescara (PE) ITALY

Tel +39 085 0859218160

[www.hypergrinder.com](http://www.hypergrinder.com) | [info@hypergrinder.com](mailto:info@hypergrinder.com)

P.IVA 02223280682 | [HYPERGRINDER@PEC.IT](mailto:HYPERGRINDER@PEC.IT) |