

**WATER TANK** 


**TOOLS** 

**8 LT** 

**ADJUSTABLE HANDLE** 



## COUNTER-ROTATING **DUAL-HEAD EDGE GRINDER**



ø200mm (x2) and Splash guard.

INTEGRATED **VACUUM SYSTEM** 

**SWIVEL** 

WHEELS

**ADJUSTABLE** WHEEL CART

> **GUIDE WHEELS FOR FLUSH WITH THE WALL**

Dual counter-rotating edge grinder ø200mm, ideal for preparation work, removing adhesives and resins, sanding, and polishing in tight spaces flush to the wall. Grinding and polishing flush to the wall with extreme precision and in complete comfort will no longer be a problem, thanks to the pivoting and height-adjustable wheels, front guide wheels, and convenient tilting handle.

#### **MAIN BENEFITS:**

• Compact Design: The Hyper Edge is specifically designed for working in tight spaces and flush to the wall, allowing you to tackle projects in confined areas with ease. • Precision: With the grinder's precise control and adjustable features, you can achieve high levels of precision in your sanding and polishing tasks, ensuring excellent results. • Comfort: Hyper Edge is equipped with features to enhance comfort during operation. The pivoting and height-adjustable wheels, front guide wheels, and tilting handle make it easier to maneuver and operate the tool for extended periods without straining your hand or wrist. • Ease of Use: The grinder is designed with user-friendly features, making it accessible even for those with limited experience. The intuitive controls and ergonomic design ensure a hassle-free grinding and polishing experience. • Efficiency: The dual counter-rotating action of the sander maximizes its effectiveness in removing coatings, adhesives, and achieving a smooth finish. This allows for efficient and time-saving completion of projects. • Uniform Results: Irregular sanding can create visible imperfections that spoil the final finish. With Hyper Edge, you can achieve consistent results across the entire surface, reducing the risk of irregularities and ensuring a flawless finish that enhances the overall aesthetics of the floor. • **Dust Extraction**: Hyper Edge is equipped with an effective dust extraction system. This not only keeps the work area cleaner but also helps maintain a healthier environment by reducing the • Water-Efficient Operations: Thanks to the 8-liter water tank that releases water directly to the inhalation of fine particles. center of the tools, Hyper Edge enables work to be done without wasting water. \*The price includes: 8lt tank, Velcro pad holders

#### **TECHNICAL DATA**

Motor Dimension Code Model Vnlt Tools size Weiaht Ka Hъ Speed tools rpm Tank HP max mm 377HGE4 4 Hp 220 50 950 2x200mm 75 920x780x430 **Hper Edge** 8 It 377HGE4VS **Hper Edge VS** 4 Hp 220 50 da 570 a 1150 8 It 2x200mm 85 920x780x430 377HGET3HP Hper Edge T3 4 Hp 400 50 950 8 It 2x200mm --920x780x430 377HGHET3HPVS Hper Edge T3 VS 4 Hp 400 50 da 570 a 1150 8 It 2x200mm 920x780x430 377HGHE2.5VSA2 Hper Edge USA VS 2,5 Hp Max 110 50-60 da 570 a 1150 8 It 2x200mm --920x780x430

**WITH** 

## **HYPER EDGE**

GRIND FLUSH
TO THE WALL IN
COMPLETE COMFORT



GOODBYE TO BACK PAIN AND UNCOMFORTABLE POSITIONS



# HYPER EDGE

# FEATURES AND BENEFITS



#### REDEFINING PRECISION GRINDING IN COMPACT SPACES

The innovative design, featuring an elongated and compact head, makes Hyper Edge extremely effective for grinding in tight and hard-to-reach areas, such as industrial shelving. Its optimized configuration ensures precise and fast action, guaranteeing high-quality results even in complex operational contexts.



#### PERFECT INTEGRATED VACUUM SYSTEM

Thanks to the convenient inlet port, it will be possible to connect the Hyper Edge to any vacuum cleaner, allowing for dust-free dry operation.



#### HANDLE TILT ADJUSTMENT

The practical handle tilt adjustment system allows you to set it in the most comfortable and ergonomic position.



#### **PERFECT FLUSH-TO-WALL**

The guide wheels for the wire wall will allow the operator to carry out a perfect sanding and polishing job without damaging or dirtying the wall and baseboard.



#### ADJUSTABLE WHEEL CART

The adjustable wheel cart provides the ability to balance the angle of the abrasives in relation to the floor. It allows for working perfectly flat or adjusting the machine for more aggressive work at the tip.



#### 2 COUNTER-ROTATING HEADS - Ø200mm

Hyper Edge is equipped with 2 counter-rotating heads with ø200mm. It allows you to use any ø200mm tool with Quick Attack attachment or Quick Lock trapezoidal tools. Perfectly balanced, it offers high performance for uniform processing and perfect work close to the wall. Quick and secure tool attachment without the need for tools.



#### **NO WATER WASTE**

Hyper Edge is equipped with a water release system at the center of the tool to optimize water usage without any waste.

#### **FLOOR PREPARATION TOOLS**



#### HG A - ø200mm - (8") 6 SEGMENTS

Diamond discs for **ABRASIVE CONCRETE**.

Guarantees high removal by reducing tool consumption.

200859HGA6S	HG A - 00	#20
200860HGA6S	HG A - 0	#40



### HG S - ø200mm - (8") 6 SEGMENTS

Diamond discs for **SOFT CONCRETE**.

Guarantees high removal by reducing tool consumption.

200839HGS6S	HG S - 00	#20
200840HGS6S	HG S - 0	#40
200841HGS6S	HG S - 1	#70
200842HGS6S	HG S - 2	#140



#### HG M - ø200mm - (8") 6 SEGMENTS

Diamond discs for **MEDIUM ABRASIVE CONCRETE**.

Guarantees high removal by reducing tool consumption.

200819HGM6S	HG M - 00	#20
200820HGM6S	HG M - 0	#40
200821HGM6S	HG M - 1	#70
200822HGM6S	HG M - 2	#140




#### HG H - ø200mm - (8") 4 SEGMENTS

Diamond discs for **HARD CONCRETE**.

Guarantees high removal by reducing tool consumption.

HGH200829	HG H - 00	#20
HGH200830	HG H - 0	#40
HGH200831	HG H - 1	#70
HGH200832	HG H - 2	#140

#### **FLOOR PREPARATION TOOLS**



#### **HG A - QUICK LOCK**

Diamond discs for **ABRASIVE CONCRETE**.

Guarantees high removal by reducing tool consumption.

700539	HG A - 00	#16-20
700540	HG A - 0	#30-40



#### **HGS-QUICK LOCK**

Diamond discs for **SOFT CONCRETE**.

Guarantees high removal by reducing tool consumption.

700539	HG S - 00	#16-20
700540	HG S - 0	#30-40
700541	HG S - 1	#60-80
700542	HG S - 2	#120-150



#### HG M - QUICK LOCK

Diamond discs for MEDIUM ABRASIVE CONCRETE.

Guarantees high removal by reducing tool consumption.

700239	HG M - 00	#20
700240	HG M - 0	#40
700241	HG M - 1	#70
700242	HG M - 2	#140



#### HG H - QUICK LOCK

Diamond discs for **HARD CONCRETE**.

Guarantees high removal by reducing tool consumption.

700339	HG H - 00	#20
700340	HG H - 0	#40
700341	HG H - 1	#70
700342	HG H - 2	#140



#### HG X - QUICK LOCK

Diamond discs for **VERY HARD CONCRETE**. With soft segment. Guarantees high removal by reducing tool consumption.

701239	HG X - 00	#16-20
701240	HG X - 0	#30-40
701241	HG X - 1	#60-80
701242	HG X - 2	#120-140



#### **TOOLS FOR COATING AND GLUE REMOVAL**

#### BT ROUND - 200mm - (8") 5 SEGMENTS

Extremely aggressive cylindrical tools for **removing resins**, **glues and paints**. They are also a good choice for smoothing hard concrete. Do not use to on abrasive concrete.

HG200719BTR5S	BT00	#30/40	
---------------	------	--------	--



#### TCK - 200mm - (8") 6 SEGMENTS

Quickly removes corrugations, mastics, varnishes, film and epoxy resins, self-leveling and various coatings on abrasive concrete floors. Recommended for leveling and floor preparation on soft and abrasive concrete. Long life.

TCK200868HG	TCK - 00S
TCK200869HG	TCK - 00
TCK200870HG	TCK - 0



#### BT ROUND - 2 SEGMENTS - QUICK LOCK

Extremely aggressive cylindrical tools for **removing resins**, **glues and paints**. They are also a good choice for smoothing hard concrete. Do not use to on abrasive concrete.

700959	BT00	#30/40	



#### PCD SCRAPER - QUICK LOCK

**For resins and thick coatings removal.** Manufactured with a PCD polycrystalline diamond segment plus a diamond sector with TCK inserts. Removes all types of coatings such as paint, glue, epoxy resin, acrylic, screed residues, adhesive tar and elastic material. Do not use on fresh or abrasive concrete floors.

700837	PCD SCRAPER CLOCK



#### HYPER PCD SCRAPER - QUICK LOCK

Quickly removes all types of coatings such as paint, glue, epoxy resin, acrylic, screed residues, adhesive tar and elastic material. Also ideal for quickly exposing the aggregate in concrete floors and for leveling and smoothing irregular and abrasive floors. Very resistant even on abrasive floors. Leave the surface scratches uniformly

700838	HYPER PCD



#### TCK - QUICK LOCK

Quickly removes corrugations, mastics, varnishes, film and epoxy resins, self-leveling and various coatings on abrasive concrete floors. Recommended for leveling and floor preparation on soft and abrasive concrete. Long life.

#### TRANSITIONAL DIAMOND DISCS

#### CERY CERAMIC - ø3"/75mm



Great polishing transitional tool with ceramic material for faster scratch removal from metal grits. Ideal usage in the case where the user needs to cut down on steps in honing or remove grout. Ideal for both glossy and satin finish. Ceramic Bond can be used with water or during dry processes. Ideal tools for scratch removal, grinding and polishing auto-leveling and concrete floors.

CERYSOFT0	CERY SOFT - 0	#30
CERYSOFT1	CERY SOFT - 1	#50
CERYSOFT2	CERY SOFT - 2	#100
CERYSOFT3	CERY SOFT - 3	#200
CERYMEDIUM0	CERY MEDIUM - 0	#30
OLIVINEDIONIO		
CERYMEDIUM1	CERY MEDIUM - 1	#50
		#50 #100
CERYMEDIUM1	CERY MEDIUM - 1	





Ceramic Transitional Diamond tools, the industry's premier solution for swiftly eliminating scratches caused by metal bonds, showing particular effectiveness on hard surfaces.

These tools outpace the traditional hybrid series in scratch removal speed. Moreover, their significant thermal resistance ensures prolonged durability while retaining aggressive efficiency. Cery disc can be used with water or during dry processes. Ideal tool for scratch removal, leveling out irregularities, grinding and polishing terrazzo, marble, granite and concrete floors.

CERYSUPER0	CERY SUPER - 0	#30
CERYSUPER1	CERY SUPER - 1	#50
CERYSUPER2	CERY SUPER - 2	#100
CERYSUPER3	CERY SUPER - 3	#200

#### TOOLS TO GRIND AND POLISH CONCRETE FLOORS

#### HG P - 200mm - (8") 5 SEGMENTS

Diamond discs for **STANDARD CONCRETE.** Ideal for the preparation phase before concrete polishing.

HGN2007205S	P 0	#40	
HGN2007215S	P 1	#70	
HGN2007225S	P 2	#140	



#### **HGP-QUICK LOCK**

Diamond discs for **STANDARD CONCRETE.** Ideal for the preparation phase before concrete polishing.

700960	HG P - 0	#40
700961	HG P - 1	#70
700962	HG P - 2	#140




#### GIAGUAR FLEX GREEN - ø8"/200mm


Flexible resinbond diamond abrasive discs, formulated to polish concrete. Very high finish, long life.

GFG200302	GIAGUAR FLEX Green	#30
GFG200303	GIAGUAR FLEX Green	#60
GFG200304	GIAGUAR FLEX Green	#120
GFG200305	GIAGUAR FLEX Green	#220
GFG200306	GIAGUAR FLEX Green	#400
GFG200307	GIAGUAR FLEX Green	#800
GFG200308	GIAGUAR FLEX Green	#1500
GFG200309	GIAGUAR FLEX Green	#3500





Metalbond diamond discs designed for grinding marble. Guarantee the surface homogeneous and flattened well and levelled.





#### HG MM - QUICK LOCK

HG MM - QUICK LUCK

Metalbond diamond discs designed for grinding marble. Guarantee the surface homogeneous and flattened well and levelled.



700250	HG MM - 0
700251	HG MM - 1
700252	HG MM - 2

#### GIAGUAR FLEX YELLOW - ø8"/200mm

Flexible resinbond diamond abrasive discs, formulated to polish marble. Very high finish, long life.

GY2000030	GIAGUAR FLEX Yellow	#30
GY2000060	GIAGUAR FLEX Yellow	#60
GY2000120	GIAGUAR FLEX Yellow	#120
GY2000220	GIAGUAR FLEX Yellow	#220
GY2000400	GIAGUAR FLEX Yellow	#400
GY2000800	GIAGUAR FLEX Yellow	#800
GY2001800	GIAGUAR FLEX Yellow	#1500
GY2003500	GIAGUAR FLEX Yellow	#3500

#### GIAGUAR FLEX UNIVERSAL - ø8"/200mm



Flexible resinbond diamond abrasive discs, formulated for universal applications. High finish, competitive price.

GFU200342	GIAGUAR FLEX Universal	#30
GFU200343	GIAGUAR FLEX Universal	#60
GFU200344	GIAGUAR FLEX Universal	#120
GFU200345	GIAGUAR FLEX Universal	#220
GFU200346	GIAGUAR FLEX Universal	#400
GFU200347	GIAGUAR FLEX Universal	#800
GFU200348	GIAGUAR FLEX Universal	#1500
GFU200349	GIAGUAR FLEX Universal	#3500

#### EVO SHINE FLEXY - Ø8"/200mm



Diamond discs for grinding and polishing both new and old marbles. They provide greater shine, color, and depth to the floor. Extremely effective in removing deep stains, marks, and scratches, perfect for the restoration and professional polishing of marble, limestone, travertine, and other natural stones. New flexible formula with increased durability.

20030EV0F	EvoShine Flexi	#30
20060EVOF	EvoShine Flexi	#60
200120EV0F	EvoShine Flexi	#120
200220EVOF	EvoShine Flexi	#220
200400EVOF	EvoShine Flexi	#400
200800EVOF	EvoShine Flexi	#800
2001500EV0F	EvoShine Flexi	#1500
2003500EV0F	EvoShine Flexi	#3500



#### **DIAMOND PADS**

#### TRIPAD - ø8"/200mm

Removes scratches and polishes.

The best choice for floor restoration and maintenance.

Smooth and polished floors in just 3 steps.

200TRP1	TRIPAD 1	ø 8"/200mm	
200TRP2	TRIPAD 2	ø 8"/200mm	
200TRP3	TRIPAD 3	ø 8"/200mm	



#### HYPERSHINE SOFT - Ø8"/200mm

New and revolutionary diamond discs for floor polishing. Ideal for natural stone, terrazzo, concrete, vinyl, and epoxy surfaces. Easy to use with any floor scrubber or cleaning machine. They effectively remove scratches, even deep ones, while cleaning and polishing. Transform your old floor into a brand-new one!

30318	HYPERSHINE SOFT 000	ø 8"/200mm
30319	HYPERSHINE SOFT 00	ø 8"/200mm
30320	HYPERSHINE SOFT 0	ø 8"/200mm
30321	HYPERSHINE SOFT 1	ø 8"/200mm
30322	HYPERSHINE SOFT 2	ø 8"/200mm
30323	HYPERSHINE SOFT 3	ø 8"/200mm
30324	HYPERSHINE SOFT 4	ø 8"/200mm
30325	HYPERSHINE SOFT 5	ø 8"/200mm
30326	HYPERSHINE SOFT 6	ø 8"/200mm



#### HYPERCLEAN - ø8"/200mm

For the regular maintenance of marble, vinyl, linoleum, terrazzo, and natural stone floors, these products are perfect. When used regularly, they keep your floors incredibly shiny and clean.

H605084 HYPERCLEAN
--------------------

#### SPIRAL FLOOR PAD - ø8"/200mm

For POLISHING CONCRETE, concrete and self-leveling concrete coatings (such as Ultratop or Pandomo).

Restoring and POLISHING OF MARBLE, TERRAZZO and NATURAL STONES.



SPIRAL1079	SPIRAL 000	ø 8"/200mm	# 60
SPIRAL1080	SPIRAL 00	ø 8"/200mm	# 120
SPIRAL1081	SPIRAL 0	ø 8"/200mm	# 220
SPIRAL1082	SPIRAL 1	ø 8"/200mm	# 400
SPIRAL1083	SPIRAL 2	ø 8"/200mm	# 800
SPIRAL1084	SPIRAL 3	ø 8"/200mm	# 1500
SPIRAL1085	SPIRAL 4	ø 8"/200mm	# 3000
SPIRAL1086	SPIRAL 3	ø 8"/200mm	# 5000

## **PAD HOLDERS**

#### VELCRO-BACKED PAD HOLDER - ø8"/200mm

To use diamond discs with velcro backing and abrasive pads.





## READY COOL PAD HOLDER - ø8"/200mm

The Ready Cool tools holder is compatible with all Quick lock tools and is equipped with amortized supports thanks to which a vortex of air is created around the diamond tools. The air flow generated cools the diamond tools and, at the same time, helps the dust extraction during the polishing process.

UT025301	Pad holder 200m x 3 o 6 utensili





### HG HYPER GRINDER S.R.L

Via Ragazzi del '99, 7 | 65123 Pescara (PE) | ITALY
P.Iva 02223280682 | hypergrinder@pec.it | Tel +39 085 921 8160

www.hypergrinder.com | info@hypergrinder.com

Your distributor:

