




# HYPER EDGE

## COUNTER-ROTATING DUAL-HEAD EDGE GRINDER



### HYPER EDGE

Dual counter-rotating edge grinder ø200mm, ideal for preparation work, removing adhesives and resins, sanding, and polishing in tight spaces flush to the wall. Grinding and polishing flush to the wall with extreme precision and in complete comfort will no longer be a problem, thanks to the pivoting and height-adjustable wheels, front guide wheels, and convenient tilting handle.

### MAIN BENEFITS:

- **Compact Design:** The Hyper Edge is specifically designed for working in tight spaces and flush to the wall, allowing you to tackle projects in confined areas with ease.
- **Precision:** With the grinder's precise control and adjustable features, you can achieve high levels of precision in your sanding and polishing tasks, ensuring excellent results.
- **Comfort:** Hyper Edge is equipped with features to enhance comfort during operation. The pivoting and height-adjustable wheels, front guide wheels, and tilting handle make it easier to maneuver and operate the tool for extended periods without straining your hand or wrist.
- **Ease of Use:** The grinder is designed with user-friendly features, making it accessible even for those with limited experience. The intuitive controls and ergonomic design ensure a hassle-free grinding and polishing experience.
- **Efficiency:** The dual counter-rotating action of the sander maximizes its effectiveness in removing coatings, adhesives, and achieving a smooth finish. This allows for efficient and time-saving completion of projects.
- **Uniform Results:** Irregular sanding can create visible imperfections that spoil the final finish. With Hyper Edge, you can achieve consistent results across the entire surface, reducing the risk of irregularities and ensuring a flawless finish that enhances the overall aesthetics of the floor.
- **Dust Extraction:** Hyper Edge is equipped with an effective dust extraction system. This not only keeps the work area cleaner but also helps maintain a healthier environment by reducing the inhalation of fine particles.
- **Water-Efficient Operations:** Thanks to the 8-liter water tank that releases water directly to the center of the tools, Hyper Edge enables work to be done without wasting water.

\*The price includes: 8-liter tank, ø200mm Velcro pad-holders, splash guard.

### TECHNICAL DATA

Code	Model	Motor HP max	Volt	Hz	Speed motor rpm	Speed tools rpm	Tank	Tools size	Weight Kg	Dimension mm
377HGHE3	Hper Edge	3 Hp	220	50	1400	1150	8 lt	2x200mm	75	920x780x430
377HGHE3VS	Hper Edge VS	3 Hp	220	50			8 lt	2x200mm	85	920x780x430
377HGHE3HP	Hper Edge T3	3 Hp	400	50			8 lt	2x200mm		920x780x430
377HGHE3HPVS	Hper Edge T3 VS	3 Hp	400	50			8 lt	2x200mm		920x780x430
377HGHE2.5VSA2	Hper Edge USA VS	2,5 Hp	110	50-60			8 lt	2x200mm		920x780x430



### REDEFINING PRECISION GRINDING IN COMPACT SPACES

The innovative design, featuring an elongated and compact head, makes Hyper Edge extremely effective for grinding in tight and hard-to-reach areas, such as industrial shelving. Its optimized configuration ensures precise and fast action, guaranteeing high-quality results even in complex operational contexts.




### PERFECT INTEGRATED VACUUM SYSTEM

Thanks to the convenient inlet port, it will be possible to connect the Hyper Edge to any vacuum cleaner, allowing for dust-free dry operation.



### HANDLE TILT ADJUSTMENT

The practical handle tilt adjustment system allows you to set it in the most comfortable and ergonomic position.




### PERFECT FLUSH-TO-WALL

The guide wheels for the wire wall will allow the operator to carry out a perfect sanding and polishing job without damaging or dirtying the wall and baseboard.




### ADJUSTABLE WHEEL CART

The adjustable wheel cart provides the ability to balance the angle of the abrasives in relation to the floor. It allows for working perfectly flat or adjusting the machine for more aggressive work at the tip.



### 2 COUNTER-ROTATING HEADS - Ø200mm

Hyper Edge is equipped with 2 counter-rotating heads with  $\varnothing 200\text{mm}$ . It allows you to use any  $\varnothing 200\text{mm}$  tool with Quick Attack attachment or Quick Lock trapezoidal tools. Perfectly balanced, it offers high performance for uniform processing and perfect work close to the wall. Quick and secure tool attachment without the need for tools.



### NO WATER WASTE

Hyper Edge is equipped with a water release system at the center of the tool to optimize water usage without any waste.


## FLOOR PREPARATION TOOLS

HG A -  $\varnothing$ 200mm - (8") 6 SEGMENTS

Diamond discs for **ABRASIVE CONCRETE**.

Guarantees high removal by reducing tool consumption.


200859HGA6S	HG A - 00	#20
200860HGA6S	HG A - 0	#40

HG S -  $\varnothing$ 200mm - (8") 6 SEGMENTS

Diamond discs for **SOFT CONCRETE**.

Guarantees high removal by reducing tool consumption.

200839HGS6S	HG S - 00	#20
200840HGS6S	HG S - 0	#40
200841HGS6S	HG S - 1	#70
200842HGS6S	HG S - 2	#140

HG M -  $\varnothing$ 200mm - (8") 6 SEGMENTS

Diamond discs for **MEDIUM ABRASIVE CONCRETE**.

Guarantees high removal by reducing tool consumption.

200819HGM6S	HG M - 00	#20
200820HGM6S	HG M - 0	#40
200821HGM6S	HG M - 1	#70
200822HGM6S	HG M - 2	#140

HG H -  $\varnothing$ 200mm - (8") 4 SEGMENTS

Diamond discs for **HARD CONCRETE**.

Guarantees high removal by reducing tool consumption.

HGH200829	HG H - 00	#20
HGH200830	HG H - 0	#40
HGH200831	HG H - 1	#70
HGH200832	HG H - 2	#140


## FLOOR PREPARATION TOOLS

## HG A - QUICK LOCK

Diamond discs for **ABRASIVE CONCRETE**.

Guarantees high removal by reducing tool consumption.

700539	HG A - 00	#16-20
700540	HG A - 0	#30-40



## HG S - QUICK LOCK

Diamond discs for **SOFT CONCRETE**.

Guarantees high removal by reducing tool consumption.

700539	HG S - 00	#16-20
700540	HG S - 0	#30-40
700541	HG S - 1	#60-80
700542	HG S - 2	#120-150



## HG M - QUICK LOCK

Diamond discs for **MEDIUM ABRASIVE CONCRETE**.

Guarantees high removal by reducing tool consumption.

700239	HG M - 00	#20
700240	HG M - 0	#40
700241	HG M - 1	#70
700242	HG M - 2	#140



## HG H - QUICK LOCK

Diamond discs for **HARD CONCRETE**.

Guarantees high removal by reducing tool consumption.

700339	HG H - 00	#20
700340	HG H - 0	#40
700341	HG H - 1	#70
700342	HG H - 2	#140



## HG X - QUICK LOCK

Diamond discs for **VERY HARD CONCRETE**. With soft segment.

Guarantees high removal by reducing tool consumption.

701239	HG X - 00	#16-20
701240	HG X - 0	#30-40
701241	HG X - 1	#60-80
701242	HG X - 2	#120-140



## TOOLS FOR COATING AND GLUE REMOVAL



### BT ROUND - 200mm - (8") 5 SEGMENTS

Extremely aggressive cylindrical tools for **removing resins, glues and paints**. They are also a good choice for smoothing hard concrete. Do not use to on abrasive concrete.

HG200719BTR5S	BT00	#30/40
---------------	------	--------



### TCK - 200mm - (8") 6 SEGMENTS

**Quickly removes corrugations, mastics, varnishes, film and epoxy resins, self-leveling and various coatings on abrasive concrete floors.** Recommended for leveling and floor preparation on soft and abrasive concrete. Long life.

TCK200868HG	TCK - 00S
-------------	-----------

TCK200869HG	TCK - 00
-------------	----------

TCK200870HG	TCK - 0
-------------	---------



### BT ROUND - 2 SEGMENTS - QUICK LOCK

Extremely aggressive cylindrical tools for **removing resins, glues and paints**. They are also a good choice for smoothing hard concrete. Do not use to on abrasive concrete.

700959	BT00	#30/40
--------	------	--------



### PCD SCRAPER - QUICK LOCK

**For resins and thick coatings removal.** Manufactured with a PCD polycrystalline diamond segment plus a diamond sector with TCK inserts. Removes all types of coatings such as paint, glue, epoxy resin, acrylic, screed residues, adhesive tar and elastic material. Do not use on fresh or abrasive concrete floors.

700837	PCD SCRAPER CLOCK
--------	-------------------



### HYPER PCD SCRAPER - QUICK LOCK

Quickly **removes all types of coatings such as paint, glue, epoxy resin, acrylic, screed residues, adhesive tar and elastic material.** Also ideal for quickly exposing the aggregate in concrete floors and for leveling and smoothing irregular and abrasive floors. Very resistant even on abrasive floors. Leave the surface scratches uniformly

700838	HYPER PCD
--------	-----------



### TCK - QUICK LOCK

Quickly removes corrugations, mastics, varnishes, film and epoxy resins, self-leveling and various coatings on abrasive concrete floors. Recommended for leveling and floor preparation on soft and abrasive concrete. Long life.

700638	TCK - 000
--------	-----------

### TOOLS TO GRIND AND POLISH CONCRETE FLOORS

#### HG P - 200mm - (8") 5 SEGMENTS



Diamond discs for **STANDARD CONCRETE**. Ideal for the preparation phase before concrete polishing.

HGN2007205S	P 0	#40
HGN2007215S	P 1	#70
HGN2007225S	P 2	#140

#### HG P - QUICK LOCK








Diamond discs for **STANDARD CONCRETE**. Ideal for the preparation phase before concrete polishing.

700960	HG P - 0	#40
700961	HG P - 1	#70
700962	HG P - 2	#140

#### GIAGUAR FLEX GREEN - ø8"/200mm




Flexible resinbond diamond abrasive discs, formulated to polish concrete. Very high finish, long life.

GFG200302		GIAGUAR FLEX Green	#30
GFG200303		GIAGUAR FLEX Green	#60
GFG200304		GIAGUAR FLEX Green	#120
GFG200305		GIAGUAR FLEX Green	#220
GFG200306		GIAGUAR FLEX Green	#400
GFG200307		GIAGUAR FLEX Green	#800
GFG200308		GIAGUAR FLEX Green	#1500
GFG200309		GIAGUAR FLEX Green	#3500

**TOOLS FOR GRINDING & POLISHING MARBLE**

**HG MM - 200mm - (8") 7 SEGMENTS**



Metalbond diamond discs designed for grinding marble. Guarantee the surface homogeneous and flattened well and levelled.

MM200900	HG MM - 0
MM200901	HG MM - 1
MM200902	HG MM - 2


**HG MM - QUICK LOCK**











Metalbond diamond discs designed for grinding marble. Guarantee the surface homogeneous and flattened well and levelled.

700250	HG MM - 0
700251	HG MM - 1
700252	HG MM - 2

**GIAGUAR FLEX YELLOW - ø8"/200mm**











Flexible resinbond diamond abrasive discs, formulated to polish marble. Very high finish, long life.


GY2000030		GIAGUAR FLEX Yellow	#30
GY2000060		GIAGUAR FLEX Yellow	#60
GY2000120		GIAGUAR FLEX Yellow	#120
GY2000220		GIAGUAR FLEX Yellow	#220
GY2000400		GIAGUAR FLEX Yellow	#400
GY2000800		GIAGUAR FLEX Yellow	#800
GY2001800		GIAGUAR FLEX Yellow	#1500
GY2003500		GIAGUAR FLEX Yellow	#3500

**GIAGUAR FLEX UNIVERSAL - ø8"/200mm**



Flexible resinbond diamond abrasive discs, formulated for universal applications. High finish, competitive price.

GFU200342		GIAGUAR FLEX Universal	#30
GFU200343		GIAGUAR FLEX Universal	#60
GFU200344		GIAGUAR FLEX Universal	#120
GFU200345		GIAGUAR FLEX Universal	#220
GFU200346		GIAGUAR FLEX Universal	#400
GFU200347		GIAGUAR FLEX Universal	#800
GFU200348		GIAGUAR FLEX Universal	#1500
GFU200349		GIAGUAR FLEX Universal	#3500



**DIAMOND PADS**

**TRIPAD - ø8"/200mm**

Removes scratches and polishes.  
The best choice for floor restoration and maintenance.  
Smooth and polished floors in just 3 steps.

HG8TRP1	TRIPAD 1	ø 8"/200mm
HG8TRP2	TRIPAD 2	ø 8"/200mm
HG8TRP3	TRIPAD 3	ø 8"/200mm



**HYPERSHINE SOFT - ø8"/200mm**

New and revolutionary diamond discs for floor polishing. Ideal for natural stone, terrazzo, concrete, vinyl, and epoxy surfaces. Easy to use with any floor scrubber or cleaning machine. They effectively remove scratches, even deep ones, while cleaning and polishing. Transform your old floor into a brand-new one!

HG8000	HYPERSHINE SOFT 000	ø 8"/200mm
HG800	HYPERSHINE SOFT 00	ø 8"/200mm
HG80	HYPERSHINE SOFT 0	ø 8"/200mm
HG81	HYPERSHINE SOFT 1	ø 8"/200mm
HG82	HYPERSHINE SOFT 2	ø 8"/200mm
HG83	HYPERSHINE SOFT 3	ø 8"/200mm
HG84	HYPERSHINE SOFT 4	ø 8"/200mm
HG85	HYPERSHINE SOFT 5	ø 8"/200mm
HG86	HYPERSHINE SOFT 6	ø 8"/200mm



**HYPERCLEAN - ø8"/200mm**

For the regular maintenance of marble, vinyl, linoleum, terrazzo, and natural stone floors, these products are perfect. When used regularly, they keep your floors incredibly shiny and clean.

HC605084	HYPERCLEAN	ø 8"/200mm
----------	------------	------------



**SPIRAL FLOOR PAD - ø8"/200mm**

For POLISHING CONCRETE, concrete and self-leveling concrete coatings (such as Ultratop or Pandomo).

Restoring and POLISHING OF MARBLE, TERRAZZO and NATURAL STONES.



HG1079	SPIRAL 000	ø 8"/200mm	# 60
HG1080	SPIRAL 00	ø 8"/200mm	# 120
HG1081	SPIRAL 0	ø 8"/200mm	# 220
HG1082	SPIRAL 1	ø 8"/200mm	# 400
HG1083	SPIRAL 2	ø 8"/200mm	# 800
HG1084	SPIRAL 3	ø 8"/200mm	# 1500
HG1085	SPIRAL 4	ø 8"/200mm	# 3000
HG1086	SPIRAL 3	ø 8"/200mm	# 5000

**PAD HOLDERS**

**VELCRO-BACKED PAD HOLDER - ø8"/200mm**

To use diamond discs with velcro backing and abrasive pads.



TV40901	Pad holder 200m
---------	-----------------

**READY COOL PAD HOLDER - ø8"/200mm**

The Ready Cool tools holder is compatible with all Quick lock tools and is equipped with amortized supports thanks to which a vortex of air is created around the diamond tools. The air flow generated cools the diamond tools and, at the same time, helps the dust extraction during the polishing process.



UT025301	Pad holder 200m x 3 o 6 utensili
----------	----------------------------------



**HG HYPER GRINDER S.R.L**  
 Via Chieti, 6 | 65121 Pescara (PE) | ITALY  
 P.Iva 02223280682 | hypergrinder@pec.it | Tel +39 085 921 8160  
[www.hypergrinder.com](http://www.hypergrinder.com) | [info@hypergrinder.com](mailto:info@hypergrinder.com)

Your Distributor: \_\_\_\_\_



rev.09112023