




CLEANING



POLISHING




DEWAXING



GRINDING

HYPER ORBIT CT

MANUAL GRINDER - POLISHER "ROTO-ORBITAL"



2-LITER TANK.
(OPTIONAL)
HG169801

ERGONOMIC
HANDLE

WATER FLOW
ADJUSTMENT

ADJUSTABLE
LED HEADLIGHT
HG169701



ROTARY-ORBITAL
MOTION

HYPER ORBIT CT

The Hyper Orbit CT handheld random orbital sander is the ideal tool for achieving a perfect polish on various surfaces, including countertops, staircases, and tight spaces. With its plate size of \varnothing 280mm, this sander offers maximum versatility. The Hyper Orbit CT is particularly suitable for cleaning delicate surfaces such as carpets and rugs, ensuring impeccable results. Additionally, it can perform polishing, waxing, crystallization, and micro-sanding tasks on a wide range of materials, including marble, concrete, stone, parquet, terracotta, and porcelain. Thanks to its rotary-orbital technology, this sander provides precise and uniform movement, ensuring professional results and a high-quality finish. With the Hyper Orbit CT, you can achieve smooth, shiny, and flawless surfaces quickly and efficiently.

ADVANTAGES.

Economic Savings: The Hyper Orbit CT random orbital sander is designed to reduce energy, water, and chemical consumption, offering significant cost savings.

- **Speed:** Thanks to the combination of disc rotation and random orbital motion, the Hyper Orbit CT ensures reduced times for cleaning, sanding, and polishing operations.
- **Practical and Functional:** This sander features an ergonomic handle that makes it extremely easy to maneuver. The controls for turning on the lights and water faucet are conveniently located near the handle for practical and comfortable use.
- **Water-efficient:** With the rotary-orbital system, the Hyper Orbit CT allows for significant water savings during operations.
- **User-friendly:** The Hyper Orbit CT is suitable even for less experienced operators, thanks to its ease of use and intuitive features.

*The price DOES NOT INCLUDE Tank and LED Spotlight.

TECHNICAL DATA

| Code | Model | Motor HP max | Volt | Hz | Tools speed rpm | Tank | Tools size | Weight | Dimension |
|-----------------|--------------------|--------------|------|----|-----------------|------|------------|--------|---------------|
| 390HGCT280BASIC | Hyper Orbit CT 280 | 1 Hp | 220 | 50 | 1400 | 2 lt | 1x280mm | 21 Kg | 280x380x280mm |

HYPER ORBIT APPLICATIONS



GRINDING AND POLISHING COUNTERTOPS.

The rotary-orbital system for sanding and polishing marble and stones offers several advantageous features. It combines rotary and orbital motion for a consistent disc action. It reduces the risk of tool overheating and minimizes scratches or marks. It is suitable for all types of marble and stones. Hyper Orbit CT is a safe and effective choice for achieving a smooth and polished finish. With its compact size and reduced water requirement, the rotary-orbital sander is perfect for working in furnished environments such as bars and reception areas. The rotary-orbital motion prevents unwanted water splashing during use.



GRINDING AND POLISHING STAIRS.

The rotary-orbital motion of the Hyper Orbit CT offers numerous advantages, including:

- Reduction of the risk of unwanted marks and scratches.
- Increased manoeuvrability and control during use.
- Creation of a uniform and consistent finish.
- Minimization of water splashing during polishing.

Thanks to these features, the Hyper Orbit CT ensures superior results and a safer experience during stair polishing, even for inexperienced personnel.



GRINDING AND POLISHING OF MARBLES.

Thanks to the use of special diamond pads and the addition of the practical "long handle kit," the Hyper Orbit CT transforms into a powerful rotary-orbital floor scrubber. This makes it perfect for performing a wide range of treatments on marble and stone floors, such as micro-sanding, polishing, waxing, waterproofing treatments, cleaning, and more.



RESTORATION OF LINOLEUM AND PVC.

The combination of the Hyper Orbit CT with diamond floor pads is excellent for restoring linoleum floors. With the rotary-orbital motion, the diamond pads gently and effectively sand the linoleum, removing scratches, dirt, stains, and signs of wear. This process also restores the original color of the floor. Additionally, the Hyper Orbit CT is extremely quiet, making it ideal for working in noise-sensitive environments such as hospitals and wellness centers.

HYPER ORBIT APPLICATIONS



MAINTENANCE OF CERAMIC TILES.

The combination of the Hyper Orbit CT with a melamine pad is the best way to clean porcelain tile floors. With the rotary-orbital motion, the melamine pad acts precisely and gently, effectively removing dirt and stains. This combination provides safe and efficient cleaning, suitable even for high-traffic areas. The Hyper Orbit CT ensures thorough and consistent cleaning, leaving your porcelain tile floors looking fresh and pristine.



OIL TREATMENT FOR PARQUET FLOORS.

Parquet treatment is now easier than ever with the Hyper Orbit CT. Thanks to its rotary-orbital motion, it is perfect for applying oil and wax to the floor without causing unwanted splatters. Utilizing the rotary-orbital principle with high-frequency oscillations, the Hyper Orbit CT offers excellent stability and manoeuvrability. The quick-release system of the head to the long handle makes this machine easy to transport while maintaining a sturdy and durable structure. With the Hyper Orbit CT, you can achieve precise and controlled application of oil and wax, resulting in a beautiful and protected parquet floor.



SHAMPOOING OF CARPETS AND RUGS.

The Hyper Orbit CT is the ultimate system for washing and shampooing carpets and rugs. It provides deep and gentle cleaning through its rotary-orbital motion that penetrates the fibers, removing stubborn dirt without causing any damage. It is fast and efficient, covering a wide surface area in a single pass and allowing for quick drying. In short, the rotary-orbital floor scrubber ensures thorough and rapid cleaning for carpets and rugs. The rotary-orbital system makes parquet floor cleaning easy and effortless, thanks to its friction-free disc feature.




TRATTAMENTO COTTO

The Hyper Orbit CT orbital system penetrates into the cracks and porosity of terracotta floors, ensuring deep and effective cleaning by removing accumulated dirt and restoring the original appearance. It requires less physical effort compared to traditional single-brush machines, offering optimal results with less fatigue. Hyper Orbit CT is versatile, performing various operations such as cleaning, polishing, sanding, and applying protective treatments, adapting to the different treatment needs of terracotta floors. In summary, Hyper Orbit CT guarantees efficient cleaning, reduces physical effort, and provides multiple treatment options for terracotta floors.


HYPER ORBIT

FEATURES AND BENEFITS



ROTO-ORBITAL MOVEMENT

Hyper Orbit CT combines two mechanical movements: orbital and rotational. This technology allows for quick and effortless cleaning. The roto-orbital movement creates micro-vortices that lift dirt and debris upwards, allowing the pad to capture it without the need for vacuums or chemical products. Even during more demanding operations such as crystallization, dewaxing, and micro-polishing, the roto-orbital movement makes the work easy and less strenuous. The roto-orbital movement of the HyperOrbit CT disc significantly reduces friction with the surface without any loss of effectiveness and with low power consumption.



ADJUSTABLE LED SPOTLIGHT OPTIONAL


Hyper Orbit CT is equipped with a powerful adjustable LED spotlight, allowing you to direct the beam of light as needed and tilt it to work seamlessly along walls without any issues.

HG169701 Led Spotlight



LONG HANDLE (OPTIONAL)

Hyper Orbit CT can be equipped with a convenient and practical adjustable long handle. This optional accessory allows for sanding and polishing even medium-sized surfaces. The Hyper Orbit CT transforms into an effective floor scrubber and is also **suitable for oil treatments on parquet floors.**



BUILT WITH CARE

- 1) Hyper Orbit CT is equipped with a comfortable padded handle that allows for a firm grip and a correct posture on any work surface.
- 2) Water flow control valve.
- 3) On/Off switch for LED light.
- 4) Provision for a long handle.
- 5) On/Off switch for machine activation.
- 6) Anti-mark rubber bumper strip.
- 7) 2-liter ABS tank.

MAIN ACCESSORIES



DIAMOND PADS

TRIPAD DIAMOND PAD

Removes scratches and polishes

The best choice for floor restoration and maintenance.

Smooth and polished floors in just 3 steps..

| | | |
|---------|----------|-------------|
| 280TRP1 | TRIPAD 1 | ø 11"/280mm |
| 280TRP2 | TRIPAD 2 | ø 11"/280mm |
| 280TRP3 | TRIPAD 3 | ø 11"/280mm |



SPIRAL DIAMOND DISCS

SPECIAL DIAMOND DISC. For restoring and POLISHING OF MARBLE, TERRAZZO and NATURAL STONES. For POLISHING CONCRETE, concrete and self-leveling concrete coatings (such as Ultratop or Pandomo).

| | | | |
|--------|------------|-------------|--------|
| 601118 | SPIRAL 000 | ø 11"/280mm | # 60 |
| 601119 | SPIRAL 00 | ø 11"/280mm | # 120 |
| 601110 | SPIRAL 0 | ø 11"/280mm | # 220 |
| 601111 | SPIRAL 1 | ø 11"/280mm | # 400 |
| 601112 | SPIRAL 2 | ø 11"/280mm | # 800 |
| 601113 | SPIRAL 3 | ø 11"/280mm | # 1500 |
| 601114 | SPIRAL 4 | ø 11"/280mm | # 3000 |
| 601115 | SPIRAL 3 | ø 11"/280mm | # 5000 |

DIAMOND PADS

HYPERSHINE SOFT

New and revolutionary diamond discs for floor polishing. Ideal for natural stone, terrazzo, concrete, vinyl, and epoxy surfaces. Easy to use with any floor scrubber or cleaning machine. They effectively remove scratches, even deep ones, while cleaning and polishing. Transform your old floor into a brand-new one!



| | | |
|---------|---------------------|-------------|
| HG11000 | HYPERSHINE SOFT 000 | ø 11"/280mm |
| HG1100 | HYPERSHINE SOFT 00 | ø 11"/280mm |
| HG110 | HYPERSHINE SOFT 0 | ø 11"/280mm |
| HG111 | HYPERSHINE SOFT 1 | ø 11"/280mm |
| HG112 | HYPERSHINE SOFT 2 | ø 11"/280mm |
| HG113 | HYPERSHINE SOFT 3 | ø 11"/280mm |
| HG114 | HYPERSHINE SOFT 4 | ø 11"/280mm |
| HG115 | HYPERSHINE SOFT 5 | ø 11"/280mm |
| HG116 | HYPERSHINE SOFT 6 | ø 11"/280mm |



HYPERCLEAN

For the regular maintenance of marble, vinyl, linoleum, terrazzo, and natural stone floors, these products are perfect. When used regularly, they keep your floors incredibly shiny and clean.

| | | |
|--------|------------|-------------|
| 605114 | HYPERCLEAN | ø 11"/280mm |
|--------|------------|-------------|



MELAMINE PAD

Designed for use on ceramic tiles, engineered tiles, marble, limestone, concrete, vinyl, PVC, and other porous floor surfaces. These highly effective discs make light work of stubborn dirt and unsightly marks. Environmentally friendly, no additives or chemical products are required. They clean most dirt using water alone.

| | | |
|----|--------------|-------------|
| -- | MELAMINE PAD | ø 11"/280mm |
|----|--------------|-------------|

ABRASIVE FLOOR PADS



WHITE PAD

For polishing.

| | | |
|-------|-----------|-------------|
| 30111 | White Pad | ø 11"/280mm |
|-------|-----------|-------------|



GREEN PAD

For washing PVC or linoleum floors.

| | | |
|-------|-----------|-------------|
| 30112 | Green Pad | ø 11"/280mm |
|-------|-----------|-------------|



BLACK PAD

For deep cleaning on hard floors.

| | | |
|-------|-----------|-------------|
| 30113 | Black Pad | ø 11"/280mm |
|-------|-----------|-------------|



RED PAD

For Spray Cleaning.

| | | |
|-------|---------|-------------|
| 30115 | Red Pad | ø 11"/280mm |
|-------|---------|-------------|



BROWN PAD

For vigorous cleaning on hard floors.

| | | |
|-------|-----------|-------------|
| 30115 | Brown Pad | ø 11"/280mm |
|-------|-----------|-------------|



HYPER BLACK HD

Special abrasive floor pads designed to effectively wash and remove cement residue on industrial floors.

| | | |
|---------|----------------|-------------|
| 30113HD | HYPER BLACK HD | ø 11"/280mm |
|---------|----------------|-------------|

ABRASIVE FLOOR PADS

NATURAL LUX

For high-speed machines. Exceptional when used for polishing with Polish powders.



| | | |
|--------|-----------------|-------------|
| 30116A | NATURAL LUX M43 | ø 11"/280mm |
| 30116B | NATURAL LUX M56 | ø 11"/280mm |

CLOTHS AND TOOLS

MICROFIBER DISC



| | | | |
|-------|-----------------|-------------|----|
| 04233 | Microfiber disc | ø 11"/280mm | -- |
|-------|-----------------|-------------|----|



HG HYPER GRINDER S.R.L
 Via Ragazzi del'99, 7 | 65123 Pescara (PE) | ITALY
 P.Iva 02223280682 | hypergrinder@pec.it | Tel +39 085 921 8160
www.hypergrinder.com | info@hypergrinder.com



Your Distributor: _____



rev.06_02_2024